

BELYAYEVA, M.A.; GOLOVA, Z.S.; IVAIOVA, A.P.; ARUTYUNOVA, K.M.; VOLODIN, N.V.,
redaktor; PORTYANSKIY, B.S., izdatel'skiy redaktor; NATAPOV, M.I.,
tekhnicheskiy redaktor

[Collection of technical texts in the English language; a textbook
for higher schools] Sbornik tekhnicheskikh tekstov na angliiskom
iazyke; uchebnoe posobie dlja vtuzov. Pod red. N.V. Volodina. Moskva,
Izd-vo lit-ry na inostr. iazykakh, 1956. 599 p. (Kluch 10:1C)

(Technology)

(English language--Textbooks for foreigners--Russian)

IVANOVA, A.P.

IVANOVA, A.P., doyarka; KOZUPEYEV, A.V., storozh kolkhoza; KALININ, V.A.,
konyukh.

The collective farm helped us. Sel'. stroi. 12 no.10:3 0 '57.
(MIRA 10:11)

l. Kolkhoz imeni Radishcheva, selo Nikol'skoye, Smolenskoy oblasti,
Gzhatskogo rayona.
(Housing, Rural)

5.1310

1160 1273 1087

26872
S/081/61/000/013/005/028
B105/B201

AUTHORS: Koshurnikov G. S., Ivanova A. P., Levinzon A. L.

TITLE: ElectrocrySTALLIZATION OF METALS IN THE PRESENCE OF ORGANIC AND INORGANIC SUBSTANCES. COMMUNICATION I

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 13, 1961, 86, abstract 138652. (Sb. nauchn. tr. kafedr matem. grafiki, khimii i teor. mekhan. Leningr. in-t tochnoy mekhan. i optiki, 1960, vyp. 31, 110-119)

TEXT: The authors studied the effect of organic and inorganic admixtures to electrolytes on the electrical resistance (ER) of metallic coats. ER of Cu coats, obtained from CuSO_4 solutions, is first lowered with increasing current density i , and then rises again, deposits of dendritic structure being formed. If HNO_3 and H_2SO_4 are added to the CuSO_4 solution, the ER minimum disappears, and the dendritic form is not formed. An addition of H_3BO_3 shifts the ER minimum toward greater i , while an

Card 1/2

Electrocrystallization of metals in ...

26872
S/081/61/000/013/005/028
B105/B201

addition of Na_2SO_4 , MgSO_4 , and $\text{Al}_2(\text{SO}_4)_3$ shift it to smaller i. The increase of the minimum of ER, which depends on the nature of the cation was explained by the inclusion of the hydroxides into the interstices of the crystals. An addition of benzoic acid and aniline increase ER considerably, while an addition of phenol and sugar is almost ineffective.
[Abstracter's note: Complete translation.]

Card 2/2

IVANOVA, A. P.

Tailoring

Designing garments. Leg. prom. 12 No. 9, 1952.

9. Monthly List of Russian Accessions, Library of Congress, December 1952
X~~1953~~ Uncl.

IVANOVA, A. F.

Dissertation: "Methods of Designing Outer Clothing From Cloth." Sovi Tech Sci,
Moscow Technological Inst of Light Industry imeni L. M. Kaganovich, 1 Jun 54.
Vechernaya Moskva, Moscow, 21 May 54.

SO: SUH 284, 26 Nov 1954

I V N O V I T , M . P .

LAZAREVA, S.Ye., kandidat tekhnicheskikh nauk; IVANOVA, A.P., kandidat
tekhnicheskikh nauk; MOMEILLI, T.P., starshiy nauchnyy sotrudnik.

Method of testing the quality of flax combings with an instrument.
Tekst.prom.14 no.12:42-45 D'54. (MLRA 8:2)
(Flax --Testing)

MIFTAKHUTDINOVA, F.G., KOVAKINA, YE.A., IVANOVA, A.P.

The effect of the treatment of corn seeds with organophosphorus compounds prior to sowing upon the growth and development of plants.

Khimiya i Primeneniye Fosfororganicheskikh Soyadimeniy (Chemistry and application of organophosphorus compounds) A. YE. ARSHINOV, Ed.
Publ. by Kazan. Affil. Acad. Sci. USSR, Moscow 1962, 632 pp.

Collection of complete papers presented at the 1959 Kazan Conference on Chemistry of Organophosphorus Compounds.

ACC NR: AR6035076

SOURCE CODE: UR/0169/66/000/008/G002/G002

AUTHOR: Pushkarev, I. K.; Khrychev, B. A.; Ivanova, A. P.; Lipskaya, S. V.

TITLE: Investigation of the deep-seated structure of the Earth crust in Kazakhstan along the Temir-Tan-Ters-Akkan profile

SOURCE: Ref. zh. Geofizika, Abs. 8G12

REF SOURCE: Sb. Geofiz. issled. v Kazakhstane. Alma-Ata, Kazakhstan, 1965,
28-35

TOPIC TAGS: earth, earth crust, geophysics, seismic prospecting

ABSTRACT: A description is given of the method and results of seismic research carried out in 1959—1961 along the Temir-Tau-Ters-Akkan profile, which is part of the Temir-Tau-Kuybyshev deep-seated profile. As a result of the interpretation of data obtained, the probable model of the Earth's crust is represented in the following form: in the upper part (maximum depth—5.5 km) lies a complex of relatively poorly dislocated sedimentation rock. Below this, to a depth of 20 km, the cut is shown as a complex structure of metamorphic rocks of the "granite"

Card 1/2

UDC: 551.14:550.834(574)

Card 2/2

KOL'GAYEV, A.M.; IVANOVA, A.P.

Incubation of the fall-spawning eggs of Amur chum salmon in
the ground. Izv. TINRO 48:209-210 '62. (MIRA 16:4)

(Teplicye Lake region—Chum salmon)
(Fish culture)

VINOGRADOV, V.M.; RAZUMOVSKIY, V.V.; SHROVA, L.V.; TARZIMANOV, P.P.; KOZHEVNIKOV, O.V.; PICHUGIN, B.M.; PROKOP'EV, I.V.; FEDOROV, B.A.; KOSHMETATEVSKIY, V.S.; IVANOVA, A.S.; SNIGIREV, V.G., YASHCHENKO, G.I.; VORONKOVA, Ye.A.; ZAMYATINA, A.A.; SERGEYEV, N.A.; KUREPOV, A.I.; POPOV, B.L.; FINOGENOV, V.P.; NABOROV, V.B.; CHENCHIKOVSKIY, S.F.; IVANOV, Ye.A.; AIKHIMOV, V.S., red.; VINOGRADOV, V.M., red.; SMIRNOV, A.M., red.; KAKHOVSKAYA, O.G., red. izd-va; HUGHENKO, A.M., red. izd-va; LEKANOVA, I.S., tekhn. red.

[Foreign commerce of the U.S.S.R. with capitalist countries] Vneshniaia torgovlia SSSR s kapitalisticheskimi stranami. Moskva, Vnesh-torgizdat, 1957. 232 p. (MIRA 11:7)

1. Moscow. Nauchno-issledovatel'skiy kon'yunkturnyy institut.
(Russia--Commerce)

Fyodorov, P.S.

YELISBEVA, O.N.; IVANOVA, A.S.

Simplified method for computing the convergence of meridians
on make-up signatures for 1:10,000 scale maps. Geod.1 kart.
no.8:77-78 Ag '57. (MIRA 10:10)

1. Inspektor otdela tekhnicheskogo kontrolya Moukovskogo AGP
(for both).

(Cartography)

IVANOVA, A.S.; SHABALIN, S.D.1 MICHURINA, I.A.; SHLENDIK, T.Ye.; PECHEN', N.G.; YATSENKO, V.A.; USOVA, A.P.; PROLOVA, P.A., otv.red.; ROGOVSKAYA, Ye.G., red.; VOLKOV, N.V., tekhn.red.

[Agroclimatic reference book on Amur Province] Agroklimaticeskii spravochnik po Amurskoi oblasti. Leningrad, Gidrometeor.izd-vo, 1960. 134 p. (MIRA 13:11)

1. Khabarovsk. Gidrometeorologicheskaya observatoriya. 2. Khabarovskaya gidrometeorologicheskaya observatoriya (for Ivanova, Shabalin, Michurina, Shlendik, Pechen', Yatsenko, Usova). 3. Nachal'nik Otdela agrometeorologii Khabarovskoy gidrometeorologicheskoy observatorii (for Ivanova).

(Amur Province--Crops and climate)

BRONSHTEYN, R.M.; GORYUNOVA, V.G.; STERLIN, I.I.; MALININA, L.I.; IVANOVA, A.S.

Rapid complexometric (trilonometric) methods for determining the
zinc, magnesium, and calcium content of paint materials. Lakokras.
mat. i ikh prim. no.2:42-44 '60. (MIRA 14:4)

(Paint materials) (Zinc--Analysis)
(Magnesium--Analysis) (Calcium--Analysis)

BRONSHTEYN, R.M.; IVANOVA, A.S.

Rapid method for determining the extent of the friction wear
of pigments. Lakokras.mat. i ikh prim. no.1:67 '60.

(MIRA 14:4)

(Pigments)

SMIRNOVA, T.V.; IVANOVA, A.S.; ANDREYENKO, L.M.; ZINSON, N.K.; DAVYDOVA,
A.A.; LIVSHITS, G.M.

Familial outbreak of food poisoning. Gig.i san. 26 no.1:115-116
Ja '61. (MIRA 14:6)

1. Iz Dnepropetrovskogo instituta epidemiologii, mikrobiologii i
gigiyeny i Dnepropetrovskoy gorodskoy sanitarno-epidemiologicheskoy
stantsi.

(FOOD POISONING)

SMIRNOVA, T.V.; KAMALYAN, L.A.; IVANOVA, A.S.; ZAK, S.I.; RUBAKHINA, S.A.

Severe forms of coli enteritis in young children. Peidatriia
no.5:40-42 '61. (MIRA 14:5)

1. Iz Dnepropetrovskogo instituta epidemiologii, mikrobiologii
i gigiyeny, detskoy klinicheskoy bol'nitsy No.5 i detskoy
klinicheskoy bol'nitsy No.3 Dnepropetrovska.
(ESCHERICHIA COLI)

SMIRNOVA, T.V.; IVANOVA, A.S.; KAMALYAN, L.V.; MERZON, V.N.

Colienteritis in Dnepropetrovsk. Ped., akush. i gin. 23 no.3:19
'61. (MIRA 15:4)

1. Dnepropetrovskiy institut epidemiologii, mikrobiologii i gigiyeny.
(INTESTINES--DISEASES)

SMIRNOVA, T.V.; KAMALYAN, L.A.; IVANOVA, A.S.; MERZON, V.N.

Epidemiology of colienteritis according to data from Dnepropetrovsk.
Zhur. mikrobiol. epid. i immun. 32 no.6:132-134 Je '61. (MIRA 15:5)

1. Iz Dnepropetrovskogo instituta epidemiologii, mikrobiologii i
gigiyeny imeni Gamalei.
(DNEPROPETROVSK--INTESTINES--DISEASES)
(ESCHERICHIA COLI)

IVANOVA, A.S. (Sverdlovsk)

X-ray diagnosis of hernias of the intervertebral disks. Vop.
neirokhir. 26 no.6:47-49 N-D'62 (MIRA 17:3)

1. Klinika nervnykh bolezney i neyrokhirurgii Sverdlovskogo
meditsinskogo instituta i Instituta kurortologii i fizio-
terapii, Sverdlovsk.

SMIRNOVA, T.V.; IVANOVA, A.S.

Materials on improving the bacteriological diagnosis of coli enteritis.
Report No. 2. Zaur. mikrobiol., epid. i immun. 40 no. 8:64-67 Ag '63.
(MIRA 17:9)

1. In Dnepropetrovskogo instituta epidemiologii, mikrobiologii i
gigiyeny.

SMIRNOVA, T.V.; IVANOVA, A.S.; KAMALYAN, L.A.

Role of Escherichia coli serological types O119, O125, O126, O127
and O128 in the etiology of acute intestinal diseases in children.
Zhur. mikrobiol.; epid. i immun. 41 no.6:91-96 Je '64.

(MIRA 18:1)

l. Dnepropetrovskiy institut epidemiologii, mikrobiologii i gigiyeny
imeni Gamalei.

CHESNOKOVA, G.D.; IVANOVA, A.T.; ZOLOTOKRYLINA, Ye.S.; RYABOVA, N.M.; LEBEDEVA, L.V.

Resuscitation in surgery. Sovet. med. 17 no. 1:18-20 Jan 1953. (CJML 24:1)

I. Of Moscow Municipal Scientific-Research Institute of First Aid imeni Sklifosovskiy (Director -- B. A. Petrov) and of the Laboratory of Experimental Physiology for Revival of the Organism (Head -- Prof. V. A. Negovskiy) of the Academy of Medical Sciences, USSR.

IVANOVA, A.T.

Treatment of intra-articular fractures of the knee joint. Khi-
rurgija no.4:52-56 Ap '54. (MLRA 7:6)

1. Iz fakul'tetskoy khirurgicheskoy kliniki imeni N.N.Burdenko
i Moskovskogo ordena Lenina meditsinskogo instituta (dir. prof.
N.N.Yelanskiy) (Po materialam insituta imeni N.V.Sklifosovskogo)
(KNEE, fractures, *ther.) (FRACTURES,
*knee, ther.)

IVANOVA, A. T.

Ivanova, A. T.

"Osteosynthesis of infected diaphysal breaks using N. N. Melanskiy's pin (experimental clinical investigation)." First Moscow Order of Lenin Medical Inst. Moscow, 1955. (Dissertation for the Degree of Candidate in Medical Science)

So: Knizhnaya letopis', No. 25, 1956

IVANOVA, A.T., kandidat meditsinskikh nauk

Penicillin concentrations in the blood following various methods
of administration. Voen.-med. zhur. no.5:23-28 My '56. (MLRA 9:9)
(PENICILLIN)

IVANOVA, A.T., kandidat meditsinskikh nauk

Justification of indications fro intramedullary osteosynthesis in
complicated diaphysial fractures. Voen.med. zhur. no.12:10-15 D '56.
(FRACTURES, surg. (MIRA 10:3)

indic. for intramedullary osteosynthesis in
complicated diaphysial fractures)

SOV/177-58-1-8/25

17(1,14)

AUTHOR: Ivanova, A.T., Candidate of Medical Sciences

TITLE: Some Features of Osteosynthesis in Knee-Joint Bone Fractures (Nekotoryye osobennosti osteosinteza pere-lomov kostey, obrazuyushchikh kolenyy sustav)

PERIODICAL: Voyenno-meditsinskiy zhurnal, 1958, Nr 1, pp 32 - 34
(USSR)

ABSTRACT: According to data of the Institut imeni Sklifosovskogo (Institute imeni Sklifosovskiy), overall knee-joint bone fractures amount to 4 - 6%, including 5.3% fractures with serious deformations of articular bone surfaces, accompanied by a knee-joint ligament injury. Numerous investigations by A.V. Russakov have proved that injured spongy bones can only accrete when the broken surfaces have close contact. Each form of diastasis results in fibrous scar tissue. From 1951 on, osteosynthesis of knee-joint bones has been done with a pin of stainless type E-Ya-1-T steel [Ref 1]. A front-lateral section,

Card 1/2

SOV/177-58-1-3/25

Some Features of Osteosynthesis in Knee-Joint Bone Fractures

recently applied, guarantees good access to the knee-joint. It makes it possible to check the integrity of the ligamentous apparatus, the disturbance of the articular bone ends as well as the confrontation of the fractured bones. The author reports on operating on an intraosteal tibia fracture with serious deformation of the articular surface, at the Gospital' naya khirurgicheskaya klinika I, MOLMI, imeni Sechenova (Hospital Surgical Clinic Nr 1 of MOLMI imeni Sechenov). The operation was successful and the fracture completely accreted (Figure 3). This case proves that in serious intraosteal knee-joint bone fractures, the conservative method is unsuccessful and surgical reposition is absolutely necessary. There are 3 photos and 1 Soviet reference.

Card 2/2

IVANOVA, A.T.

Open infected fractures of the femur and their treatment in an
experiment. Trudy 1-go MMI 7:38-59 '59. (MTRA 15:11)
(FEMUR--FRACTURE) (INTERNAL FIXATION IN FRACTURES)

IVANOVA, A.T.

Concentration of penicillin in the blood of animals during its
administration into the medullary canal. Trudy L-ko MMI 7:60-66
'59. (MIRA 15:11)
(PENICILLIN) (INJECTIONS, INTRAMUSCULAR) (MARROW)

IVANOVA, A.P.

New modified version for the transplantation of the Brown-Pearce
rabbit carcinoma. Trudy 1-1961 16(2):8.250 '62. (MIRA 17:4)

1. Iz Tsentral'noy nauchno-tekhnicheskoy laboratorii imeni
prof. S.I.Chechulina (zav. - kandidat nauk A.S.Chechulin).

IVANOVA, A.T.; KUZIN, M.I.

Use of pigmentless preparation from the fungus Inonotus obliquus in the treatment of Brown-Pearce rabbit carcinoma.
Trudy I-MNI 16:286-293 '62. (MIRA 17:4)

1. Iz kafedry fakul'tetskoy khirurgii (zav. - prof. N.N. Yelanskiy)
I Moskovskogo ordena Lenina meditsinskogo instituta imeni Sechenova
I TSentral'noy nauchno-issledovatel'skoy laboratorii imeni S.I.
Chechulina (zav. - kand. med. nauk A.S. Chechulina).

IVANOVA, A.V.

Protective coatings for built-up roofs. Month. truly AKKE
no. 31.105.110 '64. (MIRA 1819)

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9"

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9

1 52950-65

ACCESSION NR: AP5010512

antagonistically with the experimental value of the long-lived component.

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9"

IVANOVA, A. V.

CHERNOBROVKIN, A. I. O. Inzh. i IVANOVA, A. V., O. M. Nauchn. Sotr., ILINA, N. P.,
Kand. Tekhn. Nauk

Akademiya Komunal'nogo Khozyaystva im. K. D. Pamfilova

Meropriyatiya po bor'be s korroziyey stal'nykh Krovel'

Page 70

SO: Collections of Annotations of Scientific Research Work on Construction, completed
in 1950.
Moscow, 1951

IL'INA, N.P., kandidat tekhnicheskikh nauk; IVANOVA, A.V.; GOVERT, A.A.;
BASHKIROV, L.G., redaktor; KONYASHINA, A. tekhnicheskiy redaktor.

[Corrosion of steel roofs and its control] Korroziia stal'nykh
krovel' i bor'ba s nej. Moskva, Izd-vo Ministerstva kommunal'nogo
khoziaistva RSFSR, 1955. 69 p. (MLRA 9:6)
(Steel--Corrosion) (Roofing, Iron and steel)

ИВАНОВА, А.В.

IL'INA, N.P.; GOVERT, A.A.; IVANOVA, A.V.

Controlling corrosion of steel roofs. Gor. knoz. Mosk. 31 no.2:35
F '57. (MIRA 10:4)
(Painting, Industrial) (Roofs) (Corrosion and anticorrosives)

IVANOV A.V.

B-4

USSR/Physical Chemistry - Molecule. Chemical Bond.

Abs Jour : Referat Zhur - Khimiya, No 6, 25 March 1957, 18128

Author : Petrashen', M.I., Ivanova, A.V. and Vol'f, G.

Title : Elementary Method of Accounting for the Influence of
the Field of Crystalline Lattice upon the Monoelectron S-
and P- Functions of an Ion.

Orig Pub : Vestn. Leningr. Un-ta, 1956, No 10, 29-38

Abstract : The influence of the field of cub. lattice of an ion crystal upon monoelectron functions of a separated "central" ion is studied, taking into consideration only electrostatic interaction. The potential of the field is resolved into cub. harmonics. Coefficients in this resolution are determined in the case of point lattice. Examination shows that under the influence of the field of the lattice the electron bond of the positive ion with the nucleus is weakened and the bond of the negative ion becomes stronger. An approximate method is given for

- 13 -

Card 1/2

IVANOVA, A.V.; POLYAKOVA, A.G.

Clinical aspects and therapy of systemic lupus erythematosus.
Terap.arkh. 33 no.4:65-71 '61. (MIRA 14:5)

1. Iz kafedry propedevtiki vnutrennikh bolezney (zav. - prof.
Z.V. Gorbunova) Sverdlovskogo meditsinskogo instituta.
(LUPUS ERYTHEMATOSUS)

GORBUNOVA, Z.V., prof.; IVANOVA, A.V.

Intravital diagnosis of periarteritis nodosa and its treatment.
Sov. med. 25 no.7:127-130 J1 '61. | (MIRA 15:1)

1. Iz kafedry propedevtiki vnutrennikh bolezney (zav. - prof.
Z.V. Gorbunova) Sverdlovskogo meditsinskogo instituta.
(ARTERIES DISEASES)

IL'INA, N.P., kand. tekhn.nauk [deceased]; IVANOVA, A.V., mlad.
nauchn. sotr.; SMYSHLYAYEVA, T.N., st. nauchn. sotr.;
TARASOVA, Ye.G., mlad. nauchn. sotr.; SMIRNOV, R.N.,
red.izd-va; KHENOKH, F.M., tekhn. red.

[Manual on the repair of building facades by using oil-less (perchlorvinyl and lime) paints] Rukovodstvo po
remontu fasadov zdaniii s primeneniem bezmaslianykh
(perkhlorvinilovykh i izvestkovykh) krasok. Moskva, 1963.
97 p. (MIRA 16:8)
1. Akademiya kommu.al'nogo khozyaystva. 2. Sektor ekspluatatsii
zhilykh i kommunal'nykh zdaniy Akademii communal'nogo kho-
zyaystva im. K.D.Pamfilova (for Il'ina, Ivanova, Smyshlyayeva,
Tarasova).
(Painting, Industrial)

IL'INA, N.P. [deceased]; IVANOVA, A.V.

Using vinyl-perchloride paints in the repair of facades of
Moscow buildings. Sbor. nauch. rab. AKKH no.16:70-73 '62.
(MIRA 17:8)

ACCESSION NR: AT4041503

S/2910/63/003/01--/0129/0137

AUTHOR: Ivanova, A. V., Ivanova, A. N., Prikhozhenko, A. I., Pyatetskiy-Shapiro, I. I., Tarnopol'skiy, B. L.

TITLE: Calculation of the electron shells of some atoms by the Hartree - Fock method

SOURCE: AN LitSSR. Litovskiy fizicheskiy sbornik, v. 3, no. 1-2, 1963, 129-137

TOPIC TAGS: quantum mechanics, electron shell, Hartree Fock method, electron configuration, computer programming, single configuration approximation, field theory, boundary value problem, iteration procedure, lithium atom, nitrogen ion, photoionization

ABSTRACT: A program for computer solution of the classical Hartree-Fock, self-consistent field equations was written, using the single-configuration approximation and neglecting the influence of the ionizing electron. For a discrete spectrum the method centers around the iteration solution of the following type of equation:

$$\frac{dy}{dr^2} + V(r)y + \int G(r, r')y(r')dr' = cy \quad (1)$$

Card 1/3

ACCESSION NR: AT4041503

SUBMITTED: 00

ENCL: 00

SUB CODE: GP,DP

NO REF SOV: 001

OTHER: 001

Card 3/3

ACCESSION NR: AP4039697

S/0051/64/016/006/0917/0924

AUTHORS: Ivanova, A. V.; Ivanova, A. N.

TITLE: Calculation of the lithium atom by the Hartree-Fock fully self-consistent method

SOURCE: Optika i spektroskopiya, v. 16, no. 6, 1964, 917-924

TOPIC TAGS: lithium, electron shell, K band, level transition, eigenvalue

ABSTRACT: Several states of the lithium atom were calculated by the fully-self-consistent Hartree-Fock method in order to estimate the influence of the optical electron on the core, with systematic account taken of the interaction between all the electrons of the atom. Consequently the Coulomb and the exchange interactions between the core and the optical electron enter not only into the equation for the latter, but also in the equation for the K-shell elec-

Card 1/3

ACCESSION NR: AP4039697

trons. The procedure and results of the solution of the Hartree-Fock equations are given and the physical consequences of their linearity are discussed. The ionization potentials, the total energy, and the oscillator strengths are calculated with and without the self-consistent Hartree-Fock functions. Comparison of the results obtained with different wave functions makes it possible to estimate, with the lithium atom as an example, the influence of core deformation by the optical electron on all the evaluated quantities. The most important results are: 1. The change in the radial functions of both the core electrons and the optical electron, due to allowance for the reaction on the core, is negligible. 2. The eigenvalues of the equations for the optical electron remain practically unchanged. 3. The eigenvalue for the K-electrons changes by about 10% (for the ground state). For the excited states, however, the "polarization" of the core by the external electron can be neglected. 4. The total energy remains practically constant. 5. The oscillator strengths change by not more than 1.5%. The reaction of the optical

Card 2/3

ACCESSION NR: AP4039697

electron on the core is small not only for systems with configuration $ls^2 n\lambda$ but also for more complicated systems with closed core and one valence electron. It is expected that total self consistency will change noticeably the results of calculation for atoms with several electrons in the unfilled external shell. "The authors are grateful to A. S. Kompanejets for a discussion and for valuable remarks. Orig. art. has: 4 formulas and 1 table.

ASSOCIATION: None

SUBMITTED: 05Jul63

DATE ACQ: 24Jun64

ENCL: 00

SUB CODE: OP, NP

NR REF SOV: 003

OTHER: 002

Card 3/3

ACCESSION NR: AP4043644

S/0056/64/047/002/0659/0666

AUTHORS: Gol'danskiy, V. I.; Ivanova, A. V.; Prokop'yev, Ye. P.

TITLE: On positron annihilation in alkali-metal hydrides

SOURCE: Zh. eksper. i teor. fiz., v. 47, no. 2, 1964; 659-666

TOPIC TAGS: positron reaction, annihilation reaction, half life, ionic crystal, alkali metal, correlation statistics, hydride, halide

ABSTRACT: In view of failures of earlier attempts to explain the long-lived component of positron annihilation in ionic crystals, the authors employed the self-consistent field method to develop a new treatment of the time distribution of the annihilation radiation in hydrides of alkali metals. It is shown that the presence of two components in the lifetime spectrum of the positrons in the hydrides is due to the annihilation from different excited levels of the system e^+H^- . The possibility of existence of a third component,

Card 1/3

ACCESSION NR: AP4043644

corresponding to annihilation from the ground state, is predicted. The calculated curves of the angular correlation of gamma quanta in the case of two-photon annihilation for the ground and first-excited states of e^+H^- turn out to be quite close to those obtained by experiment. This also offers evidence in favor of the proposed mechanism of annihilation. It is pointed out in conclusion that the proposed interpretation of the positron lifetime spectrum is applicable not only to alkali metal hydrides but to other ionic crystals, such as alkali-halide ones. The latter should include a third component corresponding to annihilations from the ground state. "The authors thank A. S. Kompaneyets for useful discussions and valuable hints, and to A. N. Ivanova of the mathematical division, for developing a procedure for numerical integration of the equations, as well as to A. I. Prikhozhenko of the same division for carrying out the computation on the electronic computer. Orig. art. has: 2 figures and 11 formulas.

Cord 2/3

ACCESSION NR: AP4043644

ASSOCIATION: Institut khimicheskoy fiziki Akademii nauk SSSR (Institute of Chemical Physics, Academy of Sciences SSSR)

SUBMITTED: 27Feb64

ENCL: 00

SUB CODE: NP

NR REF SOV: 009

OTHER: 007

Card 3/3

IVANOVA, A.V.; IVANOVA, A.N.

Calculating the lithium atom by the Hartree Fock method
with complete self-consistency. Opt. i spektr. 16 no.6:
917-924 Je '64. (MIR 17:9)

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9

TOPIC TAGS: high temperature research, light absorption, photothermal conversion cross fuel

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9"

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9"

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9"

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9

L 11380-65

100%
100%

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9"

IVANOVA, A.V.; PROKOP'YEV, Ye.P.

Annihilation of slow positrons in alkali metal hydrides. Part 2.
Zhur. eksper. i teor. fiz. 48 no.4:1155-1158 Ap '65.

1. Institut khimicheskoy fiziki AN SSSR. (MIRA 18:5)

L 27717-66 EWT(1) IJP(c) GG/AT

ACC NR: AP6011552

SOURCE CODE: UR/0051/66/020/003/0599/0407

47
48
49

AUTHOR: Ivanova, A. V.; Solodchenkova, S. A.

ORG: none

TITLE: Quantum mechanical calculation of the coefficients of continuous absorption for certain components of strongly heated air

SOURCE: Optika i spektroskopiya, v. 20, no. 3, 1966, 399-407

TOPIC TAGS: air, quantum theory, absorption coefficient, photoelectric effect, wave function, photoionization, free path

ABSTRACT: The authors have carried out a quantum-mechanical calculation of the coefficients of continuous absorption for the ions N^{+4} and O^{+5} , which have considerable concentrations in air heated to several hundred thousand degrees. The calculations are based on the method of self-consistent field with allowance for exchange. The temperatures 150,000–800,000K, densities 0.01–10, and spectral region 0.7–50 Ry were covered. Only the photoelectric absorption was taken into account in the calculations, since at the temperatures in question the bremsstrahlung absorption is negligible. The photoionization cross sections used in the calculations were calculated with the aid of Hartree-Fock wave functions previously calculated by one of the authors (Ivanova, Opt. i spektr. v. 16, 925, 1964). For some temperatures and for normal density, the values of the mean free path were also calculated. It is concluded from the results that: (a) Up to 300,000K the principal role in the absorption of air at normal density is played by the ground and first-excited states

Card 1/2

UDC: 535.341.001.1

Z

L 27717-66

ACC NR: AP6011552

2

of N^{+4} and O^{+5} . Starting with 300,000K, intense photoionization sets in from the excited levels of these ions, and at 500,000–800,000K the contribution due to the excited levels becomes predominant. (b) The excited levels cause the absorption maximum to shift with increasing temperature towards the longer wavelengths. (c) The absorption of the ions N^{+4} and O^{+5} lies in the region close to the Planck radiation curve, which occurs for the temperatures 150,000, 300,000, and 500,000K at ~2.7, 5.5, and 9 Ry, respectively. The corresponding mean free paths obtained at 150,000, 300,000, and 500,000K do not agree with the values obtained on the basis of the hydrogen-like approximation. The reasons for the discrepancy are briefly discussed. It is concluded that to reconcile the data it is necessary to make allowance in the quantum-mechanical calculations for other ions present in strongly heated air. The authors thank A. S. Kompanejets and N. I. Kuznetsova for useful discussions. Orig. art. has: 5 figures, 6 formulas, and 8 tables.

[02]

SUB CODE: 20/ SUBM DATE: 14Dec64/ ORIG REF: 005/ OTH RNF: 010/ ATD PRESS:

500

Card 2/2 BKG

MUL'TANOVSKIY, M.P., IVANOVA, A.Ya.

[English-Russian medical dictionary] Anglo-russkii meditsinskii
slovar'. Moskva, Gos.izd-vo med.lit-ry, 1958. 635 p. (MIRA 12:2)
(ENGLISH LANGUAGE--DICTIONARIES--RUSSIAN)
(MEDICINE--DICTIONARIES)

IVANOVA, A.Ye.; KURSHAKOVA, N.N. (Moskva); KRAYEVSKIY, N.A., rukovoditel'

Histochemical study of experimental pneumonia in acute radiation sickness. Arkh.pat. 24 no.8:56-65 '62. (MIRA 15:8)

1. Deyatvitel'nyy chlen AMN SSSR (For Krayevskiy).

(RADIATION SICKNESS) (PNEUMONIA)

IVANOVA, A.Ya.

"Training experiment" as a method for psychological examination
of children with anomalies of mental development. Trudy Gos.
nauch.-issl. inst. psikh. 43:229-241 '65. (MIL' 18:9)

1. laboratoriya eksperimental'noy patopsikhologii (zavoduyushchaya
laboratoriye - prof. B.V.Zeygarnik) Moskovskogo gosudarstvennogo
nauchno-issledovatel'skogo institut psichiatrii "Moskovskiy gorod
s'v'y psikhoneurologicheskiy dispanser dlya detey i podrostkov so
stotsionarom (glavnnyy vrach - kand. med. nauk K.N.Nazarov).

IVANOVA, A.Ye.; KURSHAKOVA, N.N. (Moskva); KRAYEVSKIY, N.A., rukovoditel'

Histochemical study of experimental pneumonia in acute radiation sickness. Arkh.pat. 24 no.8:56-65 '62. (MIRA 15:8)

1. Deyatel'nyy ochen AMN SSSR (for Krayevskiy).

(RADIATION SICKNESS) (PNEUMONIA)

Бонков, Г. [Bunkov, G.]; Рынков, Г. [Ryntkov, G.]; Бонков, Г. [Bunkov, G.]

Natural stability of sunflower pressure oil refined with hydrous caustic soda or with dry soda ash. Doklady RAN 17 no. 10. 921-924 '4.

NAZAREVSKIY, S.I.; MAKAROV, S.N.; PILIPENKO, F.S.; Gerasimov, M.V.; Il'inskaya, M.L.; VEKSIER, A.I.,[deceased]; VASIL'yev, I.M.; IL'INA, N.V.; SOKOLOV, S.Ya.; LOZINA-LOZINSKAYA, A.S.; SAAKOV, S.G.; ZALINSSKIY, D.M.; AVRORIN, N.A.; IVANOV, M.I.; PRIKLADOV, N.V.; SOBOLEVSKAYA, K.A.; SALAMATOV, M.N.; MALINOVSKIY, P.I.; LUCHNIK, A.I.; KRAVCHENKO, O.A.; VEKHOV, N.K.; GROZDOV, B.V.; MASHKIN, S.; BOSSE, G.G.; PALIN, P.S.,(g. Shuya, Ivanovskoy oblasti); MATUKHIN; ZATVAENITSKIY, G.F.; GRACHEV, N.G.; CHERKASOV, M.I.; KIRKOPULO, Ye.N.; LEVITSKAYA,A.M.; GRISHKO, N.N.; LIKHVAR', D.F. VIL'CHINSKIY, N.M.; LYPA, A.L.; OREKHOV, M.V.; SHCHERBINA, A.A.; TSYGANKOVA, V.Z.; BARANOVSKIY, A.L.; GEORGIYEVSKIY, S.D.; STEPUNIN, G.A. OZOLIN, E.P.; LUKAYTENE, M.K.; KOS, Yu.I.; VAIL'yev, A.V.; RUKHADZE, P.Ye.; VASHADZE, V.N.; SHANIDZE, V.M.; MANDZHAVIDZE, D.V.; KORKESIKO, A.L.; KOLESNIKOV, A.I.,(g. Sochi); SERGEYEV, L.I.; VOLOSHIN, M.P.; RYBIN, V.A.; IVANOVA, B.I.; RYABOVA, T.I.; GAREYEV, E.Z. ;RUSANOV, F.N.; BOCHANTEVA, Z.P.; BLINOVSKIY, K.V.; ELYSHEV, L.K.; MUSHEYAN, A.M.; LEONOV, L.M.

Talks given by participants in the meeting. Biul.Glav.bot.sada no.15:
85-182 '53. (MLRA 9:1)

1. Glavnny botanicheskiy sad Akademii nauk SSSR (for Makarov,Pilipenko, Gerasimov, Il'inskaya, Veksler); 2. Akademiya komunal'nogo khozyaystva imeni K.D. Pamfilova for Vasil'yev); 3. Vsesoyuznaya sel'skokhozyaystvennaya vystavka (for Il'ina); 4. Botanicheskiy sad Botanicheskogo instituta imeni V.L.Komarova Akademii nauk SSSR (for Sokolov, Lozina-Lozinskaya, Saakov); 5. Botanicheskiy sad Leningradskogo
(continued on next card)

NAZAREVSKIY, S.L.---(continued) Card 2.

gosudarstvennogo ordena Lenina universiteta (for Zalesskiy); 6. Pol-yarno-Al'piyskiy botanicheskiy sad Kol'skogo filiala imeni S.M. Kirova Akademii nauk SSSR (for Avrorin); 7. Botanicheskiy sad pri Tomskom gosudarstvennom universitete (for Ivanov); 8. Botanicheskiy sad pri Tomskom gosudarstvennom universitete imeni V.V. Kuybysheva (for Prikladov); 9. TSentral'nyy Sibirskiy botanicheskiy sad Zapadno-Sibirskogo filiala Akademii nauk SSSR (for Salamatov, Sobolevskaya); 10. Botanicheskiy sad Irkutsko gosudarstvennogo universiteta imeni A.A. Zhdanova (for Malinovskiy); 11. Altayskaya plodovo-yagodnaya optynaya stantsiya (for Luchnik); 12. Bashkirskiy botanicheskiy sad (for Kravchenko); 13. Lesostepnaya selektsionnaya optytnaya stantsiya dekorativnykh kul'tur treasta Goszelenkhoz Ministerstva kommunal'nogo khozyaystva RSFSR (for Vekhov); 14. Bryanskiy lesokhozyaystvennyy institut (for Grozdov); 15. Botanicheskiy sad pri Voronezhskom gosudarstvennom universitete (for Mashkin); 16. Orehovo-Zuyevskiy pedagogicheskiy institut (for Bosse); 17. Botanicheskiy sad pri Rostovskom gosudarstvennom universitete imeni V.M. Molotova (for Matukhin); 18. Botanicheskiy sad Kuybyshevskogo gorodskogo otdela narodnogo obrazovaniya (for Zatvarnitskiy); 19. Zoobotanicheskiy sad pri Kazanskem universitete (for Grachev); 20. Gosudarstvennyy respublikanskiy proektnyy institut "Giprokommunstroy" (for Cherkasov); 21. Botanicheskiy sad Odesskogo gosudarstvennogo universiteta imeni I.I. Mechnikova (for Kirkopulo); 22. Botanicheskiy sad pri Dnepropetrovskom gosudarstvennom universitete (for Levitskaya); 23. Botanicheskiy sad
(continued on next card)

NAZAREVSKIY, S.L.---(continued) Card 3.

Akademii nauk USSR (for Grishko, Likhvar', Vil'chinskii); 24. Kiyevskiy sel'skokhozyaystvennyy institut (for Lypa); 25. Botanicheskiy sad Chernovitskogo gosudarstvennogo universiteta (for Orehov); 26. Botanicheskiy sad pri L'vovskom gosudarstvennom universitete imeni Iv. Franko (for Shcherbina); 27. Botanicheskiy sad Khar'kovskogo gosudarstvennogo universiteta imeni A.M. Gor'kogo (for TSygan-kova); 28. Botanicheskiy sad Zhitomirskogo sel'skokhozyaystvennogo instituta (for Baranovskiy); 29. Botanicheskiy sad Akademii nauk Belorusskoy SSR (for Georgiyevskiy); 30. Institut biologii Akademii nauk Belorusskoy SSR (for Stepunin); 31. Botanicheskiy sad Akademii Litovskoy SSR (for Lukaytene); 32. Botanicheskiy sad Latviyskogo gosudarstvennogo universiteta (for Ozolin); 33. Kabardinskiy krayevedcheskiy botanicheskiy sad (for Kos); 34. Sukhumskiy botanicheskiy sad Akademii nauk Gruzinskoy SSR (for Vasil'yev, Rukhadze); 35. Batumskiy botanicheskiy sad Akademii nauk Gruzinskoy SSR (for Shanidze); 36. Tbilisskiy botanicheskiy sad Akademii nauk Gruzinskoy SSR (for Mandzhavidze); 37. Sochinskiy park Dendrariy (for Korkeshko); 38. Gosudarstvennyy Nikitskiy botanicheskiy sad imeni V.M. Molotova (for Sergeev, Voloshin); 39. Krymskiy filial Akademii nauk SSSR (for Rybin); 40. Botanicheskiy sad Moldavskogo filiala Akademii nauk SSSR (for Ivanova); 41. Botanicheskiy sad Botanicheskogo instituta Akademii nauk Tadzhikskoy SSR (for Ryabova); 42. Botanicheskiy sad Kirgizskogo filiala Akademii nauk SSSR (for Gareyev); 43. Botanicheskiy (continued on next card)

NAZAREVSKIY, S.L.---(continued) Card 4.

sad Akademii nauk Usbekskoy SSR (for Rusanov, Bochantseva); 44.
Botanicheskiy sad Akademii nauk Turkmeneskoy SSR (for Blinovskiy);
45. Respublikanskiy sad Akademii nauk Kazakhskoy SSR (for Klyshev,
Mushegyan).

(Botanical gardens)

IVANOVA, B.I.; SHAVORSKAYA, T.A.

Results of the testing of some spic^o plants in the Botanical
Garden of the Academy of Sciences of the Moldavian S.S.R.
Izv. AN Mold. SSR no.12:49-65 '62. (MIRA 18:4)

USSR/Cultivated Plants - Medicinal. Essential Oils. Toxins.

M-7

Abs Jour : Ref Zhur - Biol., No 20, 1958, 91862

Author : Ivanova, B.I.

Inst : Moldavian Affiliate of the AS USSR

Title : The Problem of Lemon Wormwood (*Artemesia Balchanorum* Krasch) in the Moldavia SSR.

Orig Pub : Izv. Mold. fil. AN SSSR, 1957, No 4, 53-60.

Abstract : The lemon wormwood (*Artemesia balchanorum* Krasch) grows widely in the Turkmen SSR and was introduced into cultivation in Tadjikistan for the purpose of extracting the essential oil which is found in all parts of the plant above the ground. Linalool alcohol (with lily of the valley fragrance) becomes part of an essential oil compound which produces raw material for the perfume industry. Until recently linaool was obtained primarily from

Card 1/3

- 150 -

152

IVANOVA, B.I.

Introduction of some essential oil plants in the Moldavian
S.S.R. Trudy Bot.inst.Ser.6 no.7:97-98 '59.
(MIRA 13:4)

I. Botanicheskiy sad Moldavskogo filiala AN SSSR, Kishinev.
(Moldavia--Aromatic plants)

IVANOVA, B. N.

GERMANIUM SELENIDES. B. N. IVANOVA EMIN (J. GEN. CHEM. RUSS., 1940, 19, 1813-1818) GeSe and GeSe₂ are prepared by fusing the correct amounts of Ge and Se, or in a less pure state by pptn. by H₂Se from GeCl₂ or GeCl₄ solutions in a CO₂ stream. These compounds are sparingly sol. in HCl and H₂SO₄ with evolution of H₂Se; with HNO₃, H₂SeO₃ is formed; HCl with Br dissolves the selenides readily. In alkaline media (NaOH or eq. NH₃) GeSe₂ dissolves more easily than GeSe; with H₂O present Se separates. R. To.

Immediate source, clipping

YERMOLOENKO, I.N.; ZHBANKOV, R.G.; LENSHINA, N.Ya.; IVANOVA, I.S.;
IVANOV, V.I.

Spectroscopic study of the consumption of hydroxyl groups of
cellulose when acted on by nitrogen dioxide. Izv. AN SSSR.
Otd. khim. nuk. no.12:1495-1496 D '58. (MIRA 12:2)

1. Institut organicheskoy khimii imeni N.D. Zelinskogo AN SSSR i
Institut fiziki i matematiki AN BSSR.
(Cellulose) (Hydroxyl group) (Nitrogen oxides)

KRUTITSKAYA, M.N., ORLOV, V.I., IVANOVA, B.S., ANDREYEVA, Ye.I.,
GOLYSHIN, N.M., ZUBOV, M.F.

Investigation of zinc subchromates as new fungicides for the
treatment of green plants and seeds. [Trudy] NIUIF no.167:173-185
'60. (MIRA 13:8)

(Zinc chromates) (Fungicides)

ORLOV, V. I., KHUTITSKAYA, M. N., BRUK, A. S., IVANOVA, B. S.

Antiseptics containing arsenic as wood preservatives. [Trudy]
NIUIF no.167;201-207 '60. (MIRA 13:8)
(Arsenio) (Wood preservatives)

KRUTITSKAYA, M.N.; ORLOV, V.I.; IVANOVA, B.S.

Investigation of new inorganic insecticides and fungicides and
the development of combined preparations (formula, application
and technology). [Trudy] NIUIF no.164:37-38 '59. (MIRA 15:5)
(Insecticides) (Fungicides)

KRUTITSKAYA, M.N.; IVANOVA, B.S.

Methods for determining small amounts of arsenic (survey). Zav.
lab. 30 no.10:1173-1177 '64.
(MIRA 18t4)

The alteration of kaolinitic brick during service in glass furnaces etc. A. I. Pohankovskaya, B. V. Ivanova, and
A. G. Odintsova. Chemical and Mineralogical Analysis of Kaolinitic Brick from Glass Furnaces. Uralianick kaolinite lenses (41.0% Al_2O_3 , 11.0% Fe_2O_3) were used in various parts of the glass furnace. Part of the brickwork was unattached to the hot zones, however, reaction occurred between the glass and the brick, resulting in the appearance of a passivated surface. I - 4 site brick protected by a highly cemented layer. II - I was similar in composition to unaltered brick but contained 2.88-4.72% R_2O obtained from the glass mass. II contained less Al_2O_3 (approx. 31%), and higher R_2O (14-15.30%). In II crystals of feldspar, quartz, hematite and nephrite were found. The composition of II corresponded to the eucordierite field in the $\text{Na}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2$ ternary system. I and II protected the kaolinitic brick from further attack. C. H. Puchmayer

IVANOVA, B.V., uchitel' nitsa khimii

Using the table of D. Poia for the solution of chemistry
problems. Khim.v shkole 18 no.2:55-57 Mr-Ap '63.

(MIRA 16:4)

1. Shkola rabochey molodezhi No.187, Moskva.
(Chemistry--Problems, exercises, etc.)

BULGARIA/Chemical Technology. Pharmaceuticals. Vitamins.
Antibiotics.

H

Abs Jour: Ref Zhur-Khim., No 24, 1958, 82683.

Author : Stefanova, M., Ivanova, D., Donev, H., Koen, I.

Inst :

Title : The Relationship Between the Efficiency of an Active Principle and the Method of Drying a Plant Raw Material.

Orig Pub: Sb. tr. Vissh. ned. in-t-Plovdiv, 1955, (1957),
10, 165-172.

Abstract: The investigation for the determination of the optimum condition for vacuum drying medicinal herb by several laboratory methods in regard to the activity of the active principle was carried out. The drawings of the experimental set-up and a list of the results from determinations and the pharmaceutical investiga-

Card : 1/2

IVANOV, D. A.; BRAGIN, Yu. V.

Aneurism

Clinical picture of dissecting aneurysm of the aorta. Terap. arkh. 24 No. 3, 1952.

9. Monthly List of Russian Acquisitions, Library of Congress, November 1951, Uncl.²

IVANOVA, D.A.

Cardiac neurosis. Fel'dsher & akush. no.6:23-28 June 1953. (CIML 25:1)

1. Candidate Medical Sciences. 2. Moscow.

IVANOVA, D.A.; VASILENKO, V.Kh., professor, deystvitel'nyy chlen Akademii meditsinskikh nauk SSSR, direktor.

Clinical and pathologicoanatomic picture in antifreeze poisoning. Terap. arkh. 25 no.3:67-76 My-Je '53. (MLRA 6:9)

1. Propedevticheskaya terapeuticheskaya klinika I Moskovskogo ordena Lenina meditsinskogo instituta.
(Antifreeze solutions--Physiological effect) (Poisons)

IVANOVA, D.A. (Moscow); VASILENKO, V.Kh., professor, direktor.

Tonus of the skeletal muscles in cardio-pulmonary insufficiency. Klin.med.
31 no.7:68-72 J1 '53. (MIR 6:9)

1. Propedevticheskaya terapevticheskaya klinika I Moskovskogo ordena Lenina
meditsinskogo instituta. (Muscles) (Respiratory organs)

IVANOVA, D.

BRONSKI, V., dots.; TABAKOVA, M.; IVANOVA, D.

Photometric method of determination of erythrocyte count. Suvrem.
med., Sofia 5 no.3:84-89 1954.

1. Iz Instituta po meditsinska fizika pri Meditsinskata akademia
I.P.Pavlov, Plovdiv.
(ERYTHROCYTES,
count, photometric)

Tone

IVANOVA, D. A. Doc Med Sci -- (diss) "Data on the condition of the tonus of skeletal muscles ⁱⁿ during chronic insufficiency of blood circulation and certain other diseases." Mos, 1957. 19 pp 21 cm. (1st Mos Order of Lenin Med Inst im I. M. Sechenov), 200 copies. (KL, 15-57, 107)

IVANOVA, D.A. (Moskva)

Influence of exercise therapy on muscle tonus. Klin.med. 35 no.3:
118-121 Mr '57. (MLRA 10:7)

1. Iz propedevticheskoy terapevcheskoy kliniki (dir. - chlen-korrespondent AMN SSSR V.Kh. Vasilenko) I Moskovskogo ordena Lenina meditsinskogo instituta imeni Sechenova.

(EXERCISM, eff.

on musc. tonus (Rus))

(MUSCLES, physiol.

eff. of exercise on tonus (Rus))

USSR / Human and Animal Physiology (Normal and Pathological). Neuromuscular Physiology T

Abs Jour: Ref Zhur-Biologiya, No 21, 1958, 97820

Author : Ivandova, D. A.

Inst : Not given

Title : On the Influence of Cordiamine and Phenamine on
the Striated Muscle Tonus

Orig Pub: Klinich. meditsina, 1958, 36, No 1, 85-91

Abstract: The tonus of skeletal muscles in prolonged applica-
tion of cordiamine (I; intramuscular injection of 2
ml of 25-percent solution--single dose) increased
significantly (by 20 millimeters of water column
and more); only in patients with severe insufficiency
of blood circulation did the tonus increase in-

Card 1/2 Prosthetic Therapy Clinic, I. Moscow O/L Med Inst
Dr. I. N. Sechenov

02

VIZWV: Dz. 1. DAUGAVPILS V. R.

Rezultāti tuberkulozai kontrolei (sagatavotām 1996. gada
septembrī) apdzīvoti daudzi iedzīvotie vietai.
Tās ir:

1. Daugavpils skr. ģenerālās apdzīvotā vieta
Dz. 1. Ivanovs i Daugavpils skr. priekščetniecešu dzīvoklis
(dzīvotys vēstnesi būt neviens).

IVANOVA, Diviniia, inzh.

Modernizing spooling frames of the system "Kovo." Tekstilna
prom 11 no.1:35-36 '62.

1. Durzhavno industrialno predpriatие "8-i mart," Sofia.

IVANOVA, D.I., fel'dsher, SAVCHENKO, Ye.N. strashaya med.sestra (Tula)

Conducting nursing conferences. Med.sestra 17 no.5:45-46 My'58
(MIRA 11:6)

(NURSES AND NURSING)

USSR/Medicine - Gangrene Medicine - Infection	Nov 48
"Significance of Fusospirillary Infection in the Pathology of Progressive Gangrene of the Skin and Subcutaneous Interstitial Tissue," Capt. D. Kh. Ivanov, Med Corps, Maj Ivanov, Ye. K., Med Corps, Rth Hosp, 31 pp	
"Khirurgiya" No 11	

Fusospirillary gangrene is rare. Describes two cases. Concludes that, in necrotic infection of a fresh wound or scar tissue, necessary to bear in mind possibility of progressive skin gangrene (fusospirillary or synergistic). Great interest

18/49T30

USSR/Medicine - Gangrene (Contd)	Nov 48
----------------------------------	--------

attaches to study of bacterial flora in cases of synergistic gangrene to determine the specific infective agent. Cytographic investigation of wound exudate by Pokrovskaya's method enables a rapid determination of the wound flora, eliminating diseases other than fusospirillary infection and permitting specific treatment to be prescribed in time. Discusses use of salvarsan and sulfamides.

18/49T30

LITINSKY, G.A., inzh.; IVANOVA, D.L., inzh.

New M-30 garbage truck. Stroj. i dor. mash. NO no. 7132-33. Ju '65.
(MIRA 18:8)

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9"

GRACHEV, Yu.A.; IVANOVA, D.P.

Epidemiology of tularemia in the Karelian A.S.S.R. Trudy
Len. inst. epid. i mikrobiol. 25:320-326 '63.
(MIRA 17:1)

1. Iz ot dela osobo opasnykh infektsiy Respublikanskoy sani-
tarno-epidemiologicheskoy stantsii Karel'skoy ASSR.

ALEKSANDROV, V.; IVANOVA, E.

Practice of using the method of sudden momentary observations in
pipe workshops. Biul. nauch. inform.: trud i zar. plata 3
no. 10:26-34 '60. (MIRA 13:12)
(Ukraine--Pipes) (Time study)

Ivanova, El.
Sofia (in care) Given Name

Country: Bulgaria

Academic Degrees: MD, Neurologist

Affiliation: Senior Scientific Collaborator at the Scientific Research Institute for Health Resort Study, Balneology, and
Source: Physiotherapy (Nauchno-Izsledovatelski Institut po Kurortologiya, Balneologiya i Fizioterapiya, NIIKF)

Date:

Source: Sofia, Priroda, No 1, Jan/Feb 61, pp 42-46

Data: "Sleep."

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9

IVANOVA, El.; BANKOV, St.; GUDZHEVA, V.; POPOV, R.

Intervertebral disk herniations and their conservative
treatment. Suvr.med. 14 no.11:51-58 '63.

*

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619220002-9"

ZATOV, A.A., agronom; IVANOVA, E.A., agronom-ekonomist

Maintain a high productivity of seeded pastures in the forest-meadow zone. Zhivotnovodstvo 23 no. 5:50-52 My '61.

(MIRA 16:2)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut kormov imeni V.R.Vil'yamsa.

(Pastures and meadows)